


Filipi Nascimento Silva Research Scientist at IUNI

Research Interests

Social

Science of science
Urban network analysis
Network visualization
Text analysis
Gene co-expression
Networks


Representing and modeling complex systems



Comin, C. H.; Peron, T. K. DM.; Silva, F. N.; Amancio, D. R.; Rodrigues, F. A.; Costa, L. da F. Complex systems: features, similarity and connectivity (https://arxiv.org/abs/1606.05400)

Representing and modeling complex systems

Informative features for nodes?



Global vs local measurements

Dependence with the size of networks is not desirable



Quantifying the interdisciplinarity of scientific journals and fields

Journal of Informetrics 7 (2013) 469-477



Contents lists available at SciVerse ScienceDirect

Journal of Informetrics

journal homepage: www.elsevier.com/locate/joi



Quantifying the interdisciplinarity of scientific journals and fields



F.N. Silva^{a,*}, F.A. Rodrigues^b, O.N. Oliveira Jr^a, L. da F. Costa^a


a Institute of Physics of São Carlos, University of São Paulo, Brazil

b Institute of Mathematics and Computer Sciences, University of S\u00e3o Paulo, National Institute of Science and Technology for Complex Systems, Rio de Janeiro, Brazil


Quantifying the interdisciplinarity of scientific journals and fields

Configuration of **High** subject entropy for A.


High interdisciplinarity




Configuration of **Low** subject entropy for A.



Quantifying the interdisciplinarity of scientific journals and fields





Bibliographic summarization

Journal of Informetrics 10 (2016) 487-502



Contents lists available at ScienceDirect

Journal of Informetrics

journal homepage: www.elsevier.com/locate/joi




Using network science and text analytics to produce surveys in a scientific topic




Filipi N. Silva^a, Diego R. Amancio^{b,*}, Maria Bardosova^c, Luciano da F. Costa^a, Osvaldo N. Oliveira Jr.^a

- ^a São Carlos Institute of Physics, University of São Paulo, São Carlos, Brazil
- b Institute of Mathematics and Computer Science, University of São Paulo, São Carlos, Brazil
- ^c Tyndall National Institute, Cork City, Ireland


Using network science and text analytics to produce surveys in a scientific topic Filipi N Silva, D.R. Amancio, M Bardosova, L. da F. Costa and Osvaldo N Oliveira Jr. Journal of Informetrics. Volume 10, 487-502 (2016)








Filipi N. Silva, Diego R. Amancio, Maria Bardosova, Luciano da F. Costa, Osvaldo N. Oliveira Jr.,


12 Using network science and text analytics to produce surveys in a scientific topic, Journal of Informetrics, v. 10, 2, May 2016

















Chronological evolution of keywords





Dynamics of scientific disciplines



ferroelectric, srtio, perovskite, oxide, strain, interface

granular, shear, packing, particle, liquid, stress

superconductor, t-c, magnetic, fermi surface node, complex network, random, social, synchronization

frustrated, antiferromagnetic, multiferroic, heisenberg

metamaterial, plasmonic, casimir force, subwavelength topological insulator, surface state, majorana, fermion entaglement, qubit, photon, cavity, quantum state

[aser pulse, intense, attosecond, laser field, electron]

ultracold, bose-einstein condensate, optical lattice

qcd, quark, heavy-ion collision, hadron


nucleus, reaction, isotope, neutron, mev, neutron-rich


density functional theory, electronic, molecule, kondo bilayer graphene, electronic, dirac point, zigzag, band gravity, cosmological, universe, dark energy, inflation


lhc, dark matter, mass, higgs boson, gev, fb, search


meson, decay, quark, form factor, mass, pi pi, gev


Dynamics of scientific disciplines















Complex networks + visualization




Networks 3D










Networks 3D














Networks 3D













Core components of a network visualization software Graph Library Rendering Layout Interface


Layout






Complex systems: features, similarity and connectivity C. H. Comin, T. K. DM. Peron, F. N. Silva, D. R. Amancio, F. A. Rodrigues, L. da F. Costa https://arxiv.org/abs/1606.05400

Layout





Attractive Force

$$\vec{F}_{(a)j} = \sum_{(i,j)\in\mathcal{E}} a_{ij} (\vec{R}_i - \vec{R}_j)^2 \hat{r}_{ij}$$

Repulsive Force

Repulsive Force
$$\vec{F}_{(r)j} = \sum_{i \in \mathcal{V}} \frac{-b}{(\vec{R}_i - \vec{R}_j)^2} \hat{r}_{ij}$$

Viscosity can be used to cool down the system

$$\frac{d^{2}\vec{R}_{j}}{d^{2}t} = \vec{F}_{(a)i} + \vec{F}_{(r)j} - \mu \frac{d\vec{R}_{j}}{dt}$$

Runge-Kutta or Verlet can be used

Layout





- Molecular dynamics simulation is $O(N^2)$.
- We can use multipole expansion:

$$\sum_{i \in \mathcal{V}} \frac{\hat{r}_{ij}}{(\vec{R}_i - \vec{R}_j)^2} = -\vec{\nabla} \sum_{i \in \mathcal{V}} \frac{1}{|\vec{R}_i - \vec{R}_j|} = -\vec{\nabla} \phi(\vec{R}_j)$$

$$\phi(\vec{R}_j) \propto \frac{N_{u,v}}{|\vec{R}_j|} + \frac{\vec{p}_{u,v} \cdot \vec{R}_j}{|\vec{R}_j|^3} + \frac{1}{2} \sum_{m}^{3} \sum_{n}^{3} \frac{(Q_{u,v})_{mn}(R_j)_m(R_j)_n}{|\vec{R}_j|^5} + \dots$$

- Where $N_{u,v}$, $p_{u,v}$ e $Q_{u,v}$ are the monopole, dipole and quadrupole moments on box (u,v).
- Quadrupole is OK for most of networks.





Visualizing Complex Networks (CDT-5) Silva, F. N. and Costa, L. da F. http://dx.doi.org/10.13140/RG.2.2.21310.74567/1 WS model

Visualizing Complex Networks (CDT-5) Silva, F. N. and Costa, L. da F. http://dx.doi.org/10.13140/RG.2.2.21310.74567/1




European Powergrid

Visualizing Complex Networks (CDT-5) Silva, F. N. and Costa, L. da F. http://dx.doi.org/10.13140/RG.2.2.21310.74567/1




Visualizing Complex Networks (CDT-5) Silva, F. N. and Costa, L. da F. http://dx.doi.org/10.13140/RG.2.2.21310.74567/1

Examples




Software Interface


Examples




Web interface




Examples 3.4 2.6 1.6




DAQING, L.; KOSMIDIS, K.; BUNDLE, A.; HAVLIN, S. Dimension of spatially embedded networks. *Nature Physics*, v. 7, n. 6, p. 481--484, Jun 2011.






Local dimension r=4.

Validating the multiscale dimension







Wrapping effect of networks








SILVA, F. N. *Dimension and symmetry in complex networks:* a multiscale approach. 2015. Ph.D. Thesis - Institute of Physics at São Carlos, University of São Paulo http://www.teses.usp.br/teses/disponiveis/76/76132/tde-17122015-145908






Network dimension and symmetry Dimension and symmetry WS - Wattz-Strogatz 2D $\langle k \rangle$ = 8 REG3D - Regular 2D $\langle k \rangle = 4$ REG2D - Regular 3D $\langle k \rangle$ = 6 1.0-Londres - London VOR - Voronoi WS p=0.01% p=0.02% RVOR - Voronoi with rewiring Oldenburg - Oldenburg city San Joaquin - San Joaquin city ER - Erdős-Rényi model REG2D EU - European powergrid US - US Powergrid 0.8 RAGEO2D - Random geographic 2D San Joaquin RAGEO3D - Random geographic 3D RAGEO4D - Random geographic 4D RAGEO2D WAX - Waxman 2D model p = 100%Average symmetry (r=4) BA - Barabási-Albert model p = 50%AIR - Airports WS WIKI - Wikipedia JCR 2009 - Journal citations 0.6-RAGEO4D Internet - Internet PC - "Photonic Crystals" CN - "Complex Networks" p=20%Number of nodes p = 10%1000 10000 50000 0.4-BA **●**(k)= 4 $\langle k \rangle = 6$ AIR JCR 2009 WIKI 0.2 Internet 0.0 6 Maximum dimension (D_{max}) 55

Symmetry in word adjacency networks


Symmetry	$\overline{\text{SVM}}$	\mathbf{MLP}	KNN	NBY
Merged $h=2$	75.0%	72.5%	55.0%	42.5%
Merged $h = 3$	70.0%	62.5%	65.0%	40.0%
Merged $h = 4$	82.5%	82.5%	57.5%	42.5%
Backbone $h = 2$	32.5%	32.5%	20.0%	20.0%
Backbone $h = 3$	70.0%	72.5%	57.5%	27.5%
Backbone $h = 4$	70.0%	82.5%	57.5%	42.5%


Accuracy rates found for the authorship detection task.


Pearson correlation coefficients between symmetry and other traditional network measurements




Symmetry applied to the financial market network









SILVA, F. N.; COMIN, C. H.; PERON, T. K. D.; RODRIGUES, F. A.; YE, C.; WILSON, R. C.; HANCOCK, E.; COSTA, L. da F. On the modular dynamics of financial market networks. 2015 http://arxiv.org/abs/1501.05040





Political networks



Political networks








BANDO, S. Y.; <u>SILVA, F. N.</u>; COSTA, L. da F.; SILVA, A. V.; PIMENTEL-SILVA, L. R.; CASTRO, L. H. M.; WEN, H.-T.; AMARO JUNIOR, E.; MOREIRA-FILHO, C. A. Complex network analysis of CA3 transcriptome reveals pathogenic and compensatory pathways in refractory temporal lobe epilepsy. *PLoS ONE*, v. 8, n. 11, p. e79913, 2013.

MOREIRA-FILHO, C.A.; BANDO, S.Y.; BERTONHA, F.B.; SILVA, F.N.; COSTA, L. da F. Methods for gene coexpression network visualization and analysis. In: PASSOS, G. A. (Ed.). *Transcriptomics in health and disease*. Berlin: Springer, 2014. cap. 4, p. 79–94.




MOREIRA-FILHO, C. A.; BANDO, S. Y.; BERTONHA, F. B.; IAMASHITA, P.; SILVA, F. N.; COSTA, L. da F.; SILVA, A. V.; CASTRO, L. H. M.; WEN, H.-T. Community structure analysis of transcriptional networks reveals distinct molecular pathways for early- and late-onset temporal lobe epilepsy with childhood febrile seizures. *PLoS ONE*, v. 10, n. 5, p. e0128174, 2015.

BANDO, S. Y.; BERTONHA,F.B.; <u>SILVA, F. N.</u>; COSTA, L. da F.; FERREIRA, L.; FURLANETTO, G.; CHACUR, P.; ZERBINI, M. C.; CARNEIRO-SAMPAIO, M.; MOREIRA-FILHO, C. A. Modular Transcriptional Repertoire and MicroRNA target Analyses Characterize Genomic Dysregulation in the Thymus of Down Syndrome Infants. Submetido à *Oncotarget*.


Other applications

Gene co-expression networks



Other applications

Gene co-expression networks








Article

Dynamic Gene Network Analysis of Caco-2 Cell Response to Shiga Toxin-Producing *Escherichia* coli-Associated Hemolytic-Uremic Syndrome

Silvia Y. Bando ¹¹⁺, Priscila lamashita ¹¹⁺, Filipi N. Silva ², Luciano da F. Costa ², Cecilia M. Abe ³, Fernanda B. Bertonha ¹, Beatriz E. C. Guth ⁴, André Fujita ⁵, and Carlos A. Moreira-Filho ¹¹*


Other applications Gene co-expression networks CACO-2 Caco-2/EH41 Caco-2/Ec472 a OW1 Node degree Node degree OW2 Node degree Node degree OW3 Node degree Node degree 103 OW4 Node degree Node degree 103 OW5 Node degree Node degree




Narrative




Narrative




Narrative






Mesoscopic representation of texts as complex networks H. F. de Arruda, F. N. Silva, V. Q. Marinho, D. R. Amancio, L. da F. Costa https://arxiv.org/abs/1606.09636


Alice in Wonderland




Mesoscopic representation of texts as complex networks H. F. de Arruda, F. N. Silva, V. Q. Marinho, D. R. Amancio, L. da F. Costa https://arxiv.org/abs/1606.09636


Classification using mesoscopic representation








w₁: "ab", "bc", and "cd"
w₂: "bc", "cd", and "de"
w₃: "cd", "de", and "ef"
w₄: "de", "ef", and "fg"
w₅: "ef", "fg", and "gh"
w₆: "fg", "gh", and "hi"
w₇: "gh", "hi", and "ij"




















Other applications







Other applications Patterns of authors contribution in scientific manuscripts




Other applications Patterns of authors contribution in scientific manuscripts 8000 5000 1st author last author 2nd author 7000 last author 4000 6000 5000 3000 4000 2000 3000 2000 1000 1000 Performed the Analyzed Collected Wrote Conceived the Performed the Analyzed Wrote Conceived the experiments the data the data the paper experiments the data experiments the paper (a) (b) 5000 1st author 8000 2nd author 3rd author 7000 last author 4000 6000 Oth author 7th author 3000 5000 last author 4000 2000 3000 2000 1000 1000 Collected Performed the Analyzed Wrote Conceived the Analyzed Collected experiments the data the data the paper experiments experiments the data the data the paper experiments

(C)

Edilson A. Corrêa Jr., Filipi N. Silva, Luciano da F. Costa, Diego R. Amancio. Patterns of authors contribution in scientific manuscripts. 2015 arXiv:1609.05545 [cs.DL]


(d)

Topological structure of world cities




Domingues, G. S., Silva, F. N., Comin, C. H., & da F Costa, L. (2018). Topological characterization of world cities.


Journal of Statistical Mechanics: Theory and Experiment, 2018(8), 083212.



Locality vs Diversity (Sznajd dynamics)



Social Bubbles dynamics using Sznajd Model



Opinion Diversity and Social Bubbles in Adaptive Sznajd Networks A Benatti, HF de Arruda, FN Silva, CH Comin, LF Costa arXiv preprint arXiv:1905.00867

Recency and burstiness in authors citations

